

Pest Tracker

May 3, 2004

OFM	1st BF	2nd BF	3rd BF	4th BF	DD	DD Date		Avg. Daily DD
Yuba City	29-Feb	3-May			990	3-May		24.3

Notes: The second flisht should begin about 920-1010 DD. We biofixed May 3.

CM	1st BF	2nd BF	3rd BF	DD	DD Date			Avg. Daily DD
Yuba Co.(male)	20-Mar			548	3-May			19.14
Yuba Co.(female)	6-Apr			379	3-May			19.00
Rio Oso (both)	3-Apr			388	3-May			18.86

Notes: Watch for a second peak of first flight around 600 DD.

PTB	1st BF	2nd BF	3rd BF	DD	DD Date			Avg. Daily DD
Yuba City	12-Apr			259	3-May			19.14

Notes: Spray timing is 400-500 DD from biofix.

SJS	1st BF	2nd BF	DD		DD Date			Avg. Daily DD
Yuba City	25-Apr		128		3-May			

Notes: We never caught an adult male SJS, just parasites Encarsia and Aphytis on traps. Biofix listed is for crawlers based on sticky tape catches. Spray at 200 DD from crawler emergence.

OBLR	1st BF	2nd BF	DD		DD Date			Avg. Daily DD
Yuba City	21-Apr		237		3-May			15.71

Notes: OBLR is early this year.

Submitted by Janine Hasey, UC Farm Advisor, Sutter and Yuba Counties, Skip Miller, Field Assistant

Your orchard may vary from where this data was taken. It is intended as a general guide only. Each grower should consider past history, trap counts and other input from your pest control advisor.

Yuba City location - George Washington near Best Rd (DD calculated from a biophenometer in a peach orchard in West Yuba City)

Yuba County location - District 10 (DD calculated using Cimis Station in Durham, Butte County)

Rio Oso location - Wheatland Rio Oso Rd (DD calculated using Cimis Station in Nicolaus, Sutter County)

Janine Hasey